

ISTA 6 - Amazon.com – SIOC - C Test Report_External

VERSION DATE: 5/9/2018

ITEM INFORMATION

Vendor/Seller Name: --.

ASIN: B015AHR7IA.

Item: BG1030F.

Certification Passed:

- ☐ Pass: Tier 1 - Frustration Free Packaging (FFP)
- ☒ Pass: Tier 2 - Ships in Own Container (SIOC)
- ☐ Fail: Tier 3 - Enforced Over Box (EOB)

LAB INFORMATION

Testing Lab: Intertek Testing Services Shenzhen Ltd.

Location: Bldg. 1, Yuanzheng Science and Technology Industrial Park, No. 4012, Wuhe Ave. North, Bantian Street, Longgang District, Shenzhen, Guangdong Province, China

Date of Test: 03/29/2024 to 04/10/2024

ISTA Member/ Lab Tech: ST-11881 / Carrey Wen

TEST RESULTS

Tested Item Summary

Number of Samples Tested	Number of Samples Passed	Number of Samples Failed
1	1	0

Authorized by:
For Intertek Testing Services
Shenzhen Ltd.



Rachel L. Guo
General Manager



Test Report

Number: SZHH01906792

Tests Conducted

Post Test Comments:

Overview	The package Passed the packaging test criteria with no visible damage noted per ISTA 6-Amazon.com-SIOC-Type C.
Product Condition	No visible damage was observed on the contents of the packaged product.
Packaging Condition	The carton box and the packaging materials inside were not damaged after testing.

LAB TEST REQUEST {filled out by requestor}

Test Requestor	Blue Wave Products, Inc.
Project Name	ISTA 6-Amazon.com-SIOC - Type C
Submission Date	03/29/2024
Report Date	04/10/2024

ASIN	Manufacturer	Description
B015AHR7IA	Blue Wave Products, Inc.	Hathaway Metropolitan Foosball Table, Modern Soccer Game Table for Kids and Adults with Cherry Finish, 54-in

Package Dimension	Catalog Dims / Actual dims and girth measured by lab: 58-1/4"L x 32-1/2"W x 6-1/2"H and 136-1/4"
Package Weight	Catalog Weight / Actual weight by lab: 112.6 lbs
Classification 1	SIOC
Classification 2	Parcel
Test Type	ISTA 6 – Amazon.com SIOC - C
Fragile/Non-Fragile	Non-Fragile
Value Add Packaging (VAP)	Yes
Value Add Packaging (VAP) Info	Material specifications: fixation strap, D/W corrugated outer box w/honeycomb-like paper board glued inside, wooden corner protector, wooden board, D/W corrugated corner protector, EPS board, polyfoam sheet, S/W corrugated board, S/W corrugated inner box, polybag, paper board, plastic sheet, paper sheet.
Total Test Samples	1 unit
Additional Notes	N/A



Page 2 of 17



PRE-TEST INSPECTION {filled out by lab}

Product Condition	Package was not opened before testing to review product.
Package Condition	Package was not opened before testing and the carton box was in good condition.
Package Condition before testing	☒ ORIGINAL as arrived in the lab for testing ☐ NEW re-packaged with new materials before testing
Corrugated Info (Box Cert if available)	N/A
Dunnage Info	N/A
Additional Notes	N/A



PRE-TEST PICTURES

Six sides of the ASIN package should be numbered and photographed. If a box cert is present it should be taken and recorded. Isometric picture views should be taken as called out below. Pictures of special call outs and or damage should have description of location and detailed information in the text box below the picture.

		
Side 1	Side 2	Side 3
		
Side 4	Side 5	Side 6
N/A		
Box Cert	ISO #1 Sides 1/2/5	ISO #2 Sides 3/4/6



Test Report

Number: SZHH01906792

Tests Conducted

TEST DETAIL

Items in black were completed and values updated.

Test	Value	P/F	P/F	P/F	P/F	P/F	OBSERVATIONS
BLOCK 1: Temp and Humidity	23.0°C, 54%RH	P	NA	NA	NA	NA	Ambient Lab Temp 12+ hours
BLOCK 3: Tip/Tip Over		NA	NA	NA	NA	NA	
BLOCK 5: Rotational FLAT Drop	9 inches	P	NA	NA	NA	NA	
BLOCK 6: Rotational EDGE Drop	9 inches	P	NA	NA	NA	NA	
BLOCK 8: Inclined or Horizontal Impact	48 inches/sec	P	NA	NA	NA	NA	
BLOCK 9: Compression Horizontal	450.4 Lbs.	P	NA	NA	NA	NA	
BLOCK 10: Compression Vertical	5000 Lbs.	P	NA	NA	NA	NA	
BLOCK 12: Vib with Top Load Face 3	300 Lbs.	P	NA	NA	NA	NA	
BLOCK 12: Vib with Top Load Face 4	105 Lbs.	P	NA	NA	NA	NA	
BLOCK 12: Vib with Top Load Face 6	40 Lbs.	P	NA	NA	NA	NA	
BLOCK 12: Vib Face 3 (Pick-Up Truck)	0 Lbs.	P	NA	NA	NA	NA	
BLOCK 20: Inclined or Horizontal Impact	48 inches/sec	P	NA	NA	NA	NA	
BLOCK 21: Rotational Edge Drop	9 INCHES	P	NA	NA	NA	NA	
BLOCK 22: Full Rotational Flat Drop		P	NA	NA	NA	NA	
BLOCK 23: Bridge Impact		NA	NA	NA	NA	NA	
BLOCK 24: Concentrated Edge Impact	16 INCHES	P	NA	NA	NA	NA	



Test Report

Number: SZHH01906792

Tests Conducted


TEST PICTURES

Pictures should be taken of each block test set up along with a post picture taken of the item at the end of each test block. Additional pictures of damage should have locations noted, size of damages measured, and written in text box below them.

		NA
Block 5 Test Set Up	Block 5 Post Test Item Picture	Extra #
		NA
Block 6 Test Set Up	Block 6 Post Test Item Picture	Extra #
		NA
Block 8 Test Set Up	Block 8 Post Test Item Picture	Extra #



TEST PICTURES {continued}

		NA
Block 9 Test Set Up	Block 9 Post Test Item Picture	Extra #
		NA
Block 10 Test Set Up	Block 10 Post Test Item Picture	Extra #
		
Block 12 Face 3 Test Set up	Block 12 Face 3 Post Test Item Picture	Block 12 Face 3 Test Vibration Profile




TEST PICTURES {continued}



Block 12 Face 4 Test Set up



Block 12 Face 4 Post Test Item Picture




Block 12 Face 4 Test Vibration Profile



Block 12 Face 6 Test Set up



Block 12 Face 6 Post Test Item Picture




Block 12 Face 6 Test Vibration Profile



Block 12 Face 3 (Pick-Up) Test Set up



Block 12 Face 3 Post Test Item Picture



Block 12 Face 3 Test Vibration Profile



TEST PICTURES {continued}

		NA
Block 20 Test Set Up	Block 20 Post Test Item Picture	Extra #
		NA
Block 21 Test Set Up	Block 21 Post Test Item Picture	Extra #
		NA
Block 22 Test Set Up	Block 22 Post Test Item Picture	Extra #



TEST PICTURES {continued}

		NA
Block 24 Test Set Up	Block 24 Post Test Item Picture	Extra #




POST TEST PICTURES

Isometric views of the box should be taken as called out in first two picture spots. An exploded bill of material (BOM) view should be added to the third slot. Additional pictures of damage should have locations noted, size of damages measured, and written in text box below them.

		See Extra #01-54
ISO #1 Sides 1/2/5	ISO #2 Sides 3/4/6	Exploded BOM View
		
Extra #01	Extra #02	Extra #03
		
Extra #04	Extra #05	Extra #06



POST TEST PICTURES {continued}




POST TEST PICTURES {continued}

		
Extra #16	Extra #17	Extra #18
		
Extra #19	Extra #20	Extra #21
		
Extra #22	Extra #23	Extra #24



POST TEST PICTURES {continued}




POST TEST PICTURES {continued}

		
Extra #34	Extra #35	Extra #36
		
Extra #37	Extra #38	Extra #39
		
Extra #40	Extra #41	Extra #42



POST TEST PICTURES {continued}



POST TEST PICTURES {continued}



Test location

Zone A, 1st Floor, Building 2, Fuerda Industrial Park, Chongqing Road, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China

END OF REPORT

The statements of conformity reported have considered the decision rule agreed, namely that Intertek have taken account of measurement uncertainty as calculated by Intertek, and applied according to ILAC-G8/09:2019-(Non-binary acceptance based on guard band $w = U$) except designation from the customer, regulation or test specification. This decision rule only applies to the numeric test results. Full details of our agreed decision rules and the associated risk can be viewed: <https://www.intertek.com.cn/diypage/upload/SZ-AP15-HLS-QA.pdf>.

The sample(s) and sample information hereto are provided by the client who shall be solely responsible for the authenticity and integrity thereof. The results shown in this report relate only to the sample(s) received and tested. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided in those terms and conditions. We have aimed to conduct the review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek.

